






RESISTANCE VALUES ARE IN OHMS
CAPACITANCE VALUES ARE IN MICROFARADS
UNLESS OTHERWISE SPECIFIED

MODEL NO. MFJ-269	28	PART NO. 062-0269	SHEET 3 OF 3
DESCRIPTION PCB#1: MB OSCILLATOR			
DATE 7/1/2002	PC BOARD DRAWN BY	MFJ ENTERPRISES INC. 300 INDUSTRIAL PARK RD STARKVILLE MS 39759	



RESISTANCE VALUES ARE IN OHMS		CAPACITANCE VALUES ARE IN MICROFARADS	
UNLESS OTHERWISE SPECIFIED			
MODEL NO.	23	PART NO.	SHEET 4 OF 5
MF3269		862-0269	
DESCRIPTION			
SIGNAL SWITCH, PRESCALER			
DATE	PC BURRU	MFD ENTERPRISES INC.	
7/1/2002		300 INDUSTRIAL PARK RD	
REVISED	DRAWN BY	STARKVILLE MS 39759	



46

PIN 1	1.2V	8.0V
2	1.0V	9.0V
3	1.0V	10.0V
4	4.9V	11.0V
5	4.9V	12.0V
6	4.9V	13.0V
7	6.28V	14.2V

47

PIN 1	2.2V	8.25V
2	2.2V	9.12V
3	3.2V	10.12V
4	4.9V	11.0V
5	6.28V	12.12V
6	6.28V	13.12V
7	2.4V	14.24V

U10

PIN 1	1.0V	8.4.9V
2	2.0V	9.0V
3	3.0V	10.0V
4	4.9V	11.0V
5	5.0V	12.0V
6	6.0V	13.0V
7	7.0V	14.0V

RESISTANCE VALUES ARE IN OHMS
CAPACITANCE VALUES ARE IN MICROFARADS
UNLESS OTHERWISE SPECIFIED

MODEL NO. MFJ269	28	PRINT NO. 862-0269	SHEET 5 OF 3
DESCRIPTION VOLTAGES PROCESSING			
DATE 7/1/2002	PC BOARD	MFJ ENTERPRISES INC. 300 INDUSTRIAL PARK RD STARKVILLE MS 39759	
REVISED	BY		